

## Sheep Dewormer Comparison Chart

	Active Ingredient	Lungworms	Nasal Bots	Intestinal Worms	Liver Flukes	Tapeworms	Roundworms	Gastrointestinal Worms	Indications	Dosage	Slaughter Withdrawal	Route of Administration
<b>Cydectin Sheep Drench</b>	<i>moxidectin</i>						•	•	Do not use in female sheep providing milk for human consumption	1 ml per 11 lbs	7 days	Drench
<b>Ivermectin Sheep Drench</b>	<i>ivermectin</i>	•	•				•		For use in sheep only	3 ml per 26 lbs	11 days	Drench
<b>Ivomec Drench for Sheep</b>	<i>ivermectin</i>	•	•				•		For use in sheep only	3 ml per 26 lbs	11 days	Drench
<b>LevaMed Soluble Drench</b>	<i>levamisole HCl</i>	•		•			•	•	For use in sheep and cattle only	1 ml per 50 lbs	3 days	Drench
<b>Privermectin Drench for Sheep</b>	<i>ivermectin</i>	•	•				•		For use in sheep only	3 ml per 26 lbs	11 days	Drench
<b>Prohibit Soluble Drench</b>	<i>levamisole HCl</i>	•		•			•	•	Not for use in dairy cattle of breeding age or in pregnant ewes	1/2 fl oz per 50 lbs	3 days	Drench
<b>Valbazen Suspension</b>	<i>albendazole</i>	•		•	•	•	•	•	Do not administer to ewes during the first 30 days of pregnancy or for 30 days after removal of rams	0.75 ml per 25 lbs	7 days	Drench